

IVORY



WALNUT



SILVER



GREY



ANTHRACITE



V2
STONALIZZAZIONE/
SHADING

IVORY V2




WALNUT V2



SILVER **V2**



GREY **V2**




ANTHRACITE **V2**



6


FORMATI/
SIZES



■ 60x120 (24"x48") RT 9 mm
▲ 60x120 (24"x48") RT K2 20 mm



■ 30x120 (12"x48") RT 9 mm



■ 60x60 (24"x24") RT 9 mm



■ ▲ 30x60 (12"x24") RT 9 mm




■ 9,7x60 (3^{7/8}"x24") RT 9 mm


■ Structured R10 | ▲ Structured R11

3

DECORI/
DECORS




MOSAICO ■ 30x30 (12"x12") RT 9 mm
(TESSERE: 2,8x2,8 - 1/8"x1/8")




ARAN IVORY




ARAN WALNUT



ARAN SILVER



ARAN GREY



ARAN ANTHRACITE




LISTELLO UP ■ 9,7x60 (3^{7/8}"x24") RT 9 mm



ARAN IVORY



ARAN WALNUT





ARAN SILVER



ARAN GREY



ARAN ANTHRACITE



MOSAICO MULTISPESSORE
■ 30x60 (12"x24") RT 9 mm



ARAN IVORY



ARAN WALNUT



ARAN SILVER



ARAN GREY



ARAN ANTHRACITE


Da posare senza stuccatura
To be installed without grouting

6

PEZZI SPECIALI/ TRIMS




BATTISCOPA
 ■ 7,2x60 (2.8"x24") RT 9 mm
 ■ 4,6x120 (1^{13/16}"x48") RT 9 mm




SCALINO INCOLLATO
 ■ 33x60 (13"x24") RT 9 mm



ANGOLARE INCOLLATO
 ■ 33x33 (13"x13") RT 9 mm




SCALINO INCOLLATO
 ■ 33x120 (13"x48") RT 9 mm




ANGOLARE INCOLLATO
 ■ 33x120 (13"x48") RT 9 mm

7


PEZZI SPECIALI K₂/ TRIMS K₂




GRADINO BORDO CON TORO
 ▲ 60x120 (24"x48") RT 20 mm
 ▲ 30x120 (12"x48") RT 20 mm



TERMINALE L INCOLLATO
 ▲ 120x45x15 (48"x18"x6") RT 20 mm




GRADINO ANGOLO INTERNO BORDO CON TORO
 ▲ 60x120 (24"x48") RT 20 mm
 ▲ 30x120 (12"x48") RT 20 mm




GRADINO ANGOLO ESTERNO BORDO CON TORO
 ▲ 60x120 (24"x48") RT 20 mm
 ▲ 30x120 (12"x48") RT 20 mm


SCHEMI DI POSA/ LAYING SYSTEM




9,7x60 (3^{7/8}"x24") RT - 18,18% 60x60 (24"x24") RT - 54,54%
 30x60 (12"x24") RT - 27,27%



30x120 (12"x48") RT - 33,3%
 60x120 (24"x48") RT - 66,6%



30x60 (12"x24") RT - 33,3%
 60x60 (24"x24") RT - 66,66%



30x120 (12"x48") RT - 100%

Fuga minima consigliata per posa in interno 2 mm, in esterno 4 mm
 Minimum suggested joint for indoor laying 2 mm, for outdoor 4 mm
 Consigli di posa, pulizia e manutenzione al link keope.com
 Advice on laying, cleaning and maintenance at the link keope.com

2
FINITURE/
FINISHINGS

